




DOLF REPORTS

DAWN OF LIFE
FOUNDATION



TBA

MOBILISATION MEETING



DAWN OF LIFE FOUNDATION

RIVERS STATE


www.dolfnet.org

INTRODUCTION

Dawn of Life Foundation (DOLF) strategically conducted the “TBA mobilization meeting” from 18th to 19th February 2026, across the 23 LGAs of Rivers State. DOLF conceived this initiative after learning that the Institute of Human Virology Nigeria (IHVN), through the Association for Reproductive and Family Health (ARFH), provided commodities to support Traditional Birth Attendants (TBAs) on the GC7 grant in Rivers State. The meeting was aimed at re-orienting TBA’s on the important role they play in getting pregnant mothers tested for HIV, Syphilis, hepatitis, and screened for TB, hence preventing mother-to-child transmission of HIV.

Mobilization for the exercise was conducted by the ARFH Community Volunteer (CV). Facilitation was by LACA Managers, LGA TB Officers, and DOLF staff, and in attendance were the LACA manager, DOT officers, TBAs, ARFH CVs, Mentor mothers, DOLF CTHWs, and DOLF staff. The core areas of discussion were:

- Basic hygiene principles and infection prevention
- Basic facts of HIV and TB



MILESTONES

1 216 TBAs were re-trained on basic hygienic principles, basic facts on HIV and TB

2 216 TBAs received various commodities (Hazard boxes, delivery mats, hand sanitizers, hand gloves, B-complex, folic acid).

3 A TBA who had a needle prick on the evening before the meeting day accessed Post-Exposure Prophylaxis (PEP).

4 TBAs gain life-saving knowledge on infection control, TB symptoms, and HIV prevention of mother-to-child transmission (PMTCT)

5 Strengthen referral pathways by hosting the meetings in health facilities and encouraging the TBAs to refer cases beyond their capacity to health facilities.

6 Participation of some TBLs and DOT officers in the training.

7 Most importantly, the interactions created opportunities for knowledge and best practice sharing.

Adopting Best Practices



Holding the exercise at sites where the TBAs would pay less than N1000 to/fro to participate.



Developing a guide alongside the program agenda to ensure the facilitation was tailored.



Ensuring the meetings were less than 2 hours.



From the exercise, we learnt that capacity building, review of practices, and belonging to a formal association are paramount for most TBAs who participated in this exercise. Dawn of Life Foundation remains grateful to GF, IHVN, ARFH, and the Rivers State Government for the opportunity to collaborate and strengthen community structure.



Stats.

Summary of Commodities Distributed Across the 23 LGAs

S/N	LGAS	Gloves, nitrile exam- (Large) 100pcs/Pk	Hand sanitizer	Absorbent bench pads (packs)	Carton safety box 5L(WHO pre-qualified laminated)	15 Lts Step-On biohazard Waste Bins (RED COLOR)	Fesolate	Folic Acid	Mama Packs
1	Abua/Odual	9	9	1	9	2	5	4	4
2	Ahoada East	10	10	1	10	2	5	5	6
3	Ahoada West	10	10	1	10	2	5	5	2
4	Akuku Toru	7	7	1	7	2	4	3	2
5	Andoni	10	10	1	10	2	5	5	2
6	Asari-Toru	9	9	1	9	2	5	4	1
7	Bonny	5	5	1	5	2	3	2	6
8	Degema	5	5	1	5	2	2	3	1
9	Eleme	10	10	1	10	2	5	5	3
10	Emohua	9	9	1	9	2	5	4	1
11	Etche	10	10	1	10	2	5	5	6
12	Gokana	10	10	1	10	2	5	5	3
13	Ikwerre	10	10	1	10	2	5	5	6
14	Khana	10	10	1	10	2	5	5	4
15	Obio/Akpor	6	6	1	6	2	3	3	2
16	Ogba/Egbema/Ndoni	10	10	1	10	2	5	5	6
17	Ogu/Bolo	9	9	1	9	2	5	4	2
18	Okrika	8	8	1	8	2	4	4	2
19	Omumma	10	10	1	10	2	5	5	2
20	Opobo/Nkoro	10	10	1	10	2	5	5	4
21	Oyigbo	9	9	1	9	2	4	5	4
22	Port-Harcourt	10	10	1	10	2	5	5	4
23	Tai	10	10	1	10	2	5	5	1
	TOTAL	206	206	23	206	46	105	101	74

Mama packs is to be given to newly identified HIV positive pregnant women. While other commodities are for Traditional Birth Attendant.

Stats.

Summary of Attendance

S/N	LGA	LACA Manager	Mentor Mothers	ARFH CV	TB Officers	DOLF	TBAS	LGA M&E Officer
1	ABUJA	1	2	1	0	1	9	0
2	AHOADA EAST	1	1	1	0	1	10	0
3	AHOADA WEST	0	1	1	0	1	10	0
4	AKUKU TORU	0	2	1	0	1	7	0
5	ANDONI	1	2	1	0	1	10	0
6	ASARI TORU	1	1	0	0	1	9	1
7	BONNY	1	1	1	0	2	5	0
8	DEGEMA	1	2	1	0	2	7	0
9	ELEME	1	2	1	1	1	10	1
10	EMOUHA	1	2	1	1	2	9	1
11	ETCHE	0	1	1	0	1	10	0
12	GOKANA	1	3	1	0	3	10	0
13	IKWERE	1	3	1	0	1	10	0
14	KHANA	1	2	1	0	1	10	0
15	OBIA AKPOR	1	3	1	0	2	10	0
16	ONELGA	1	1	1	0	2	10	0
17	OGU BOLO	1	2	1	0	1	11	0
18	OKIRIKA	1	1	1	0	2	8	0
19	OMUMA	2	1	1	0	2	10	0
20	OPOBO Nkro	1	1	1	0	2	10	0
21	OYIGBO	0	2	1	0	2	11	0
22	PHALGA	0	2	1	0	2	10	0
23	TAI	0	3	1	0	0	10	0
TOTAL		18	41	22	2	34	216	3

Recommendations

// Transportation and refreshment support should be provided for the TBAs, and a longer time can be spent.



Emerging Issues

1 Need for Continuous Capacity Building for TBAs

Participants emphasized the importance of regular training and capacity strengthening for Traditional Birth Attendants to enhance their knowledge, skills, alignment with safe maternal and newborn care practices, and HIV preventive practices.

2 Absence of a Formalized TBA Association in Rivers State

The lack of a structured and recognized association for TBAs was identified as a gap, limiting coordination, regulation, information sharing, and effective engagement with the formal health system.

3 Limited Support for Strengthening Referral Linkages

TBAs highlighted the need for greater support to establish and strengthen referral systems, including clear referral pathways and communication with health facilities.





Abua/ Odual Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

The LACA Manager took the first lecture on the Health Talk. He enlightened the TBA operators on HIV, its risk, and diagnosis. Emphasis was laid on good hygiene as a means of stopping the spread of HIV in TBA homes. Unsafe practices in TBA homes were highlighted by everyone present, with a firm commitment to put an end to them.

Areas of discussion during the exercise:

- HIV and TB basic facts.
- Personnel hygiene, safety measures, and the role these play in preventing mother-to-child transmission of HIV.
- Increased awareness of PMTCT.

Actionable points

All unsafe practices should be stopped.

TBAs to refer all cases beyond their capacity to health facilities.

Person responsible are: the TBAs





Ahoada East Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

Ahoada East TBA mobilization was facilitated by the LACA Manager and DOLF M&E Manager.

The area of discussion during the meeting was:

- Basic facts of TB, HIV, Syphilis, and Hepatitis.
- Hygiene measures (Washing hands with soap and running water, regular use of sanitizers, coughing/sneezing into your sleeves, and personal hygiene).

The TBAs were pleased with the initiative of training them and reiterating basic facts of TB and HIV, and the need to pay attention to infection prevention and control measures.


Actionable points

Attention must be paid to infection control.

Routine re-training of TBAs.

Person responsible are: TBAs, CTHWs, DOLF





Ahoada West Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

DOLF Cluster Coordinator facilitated the exercise. Major areas of discussion were:

- HIV counselling and testing services for pregnant women
- TB screening services
- Safety practices
- Referral pathways to healthcare facilities.
- TBAs support for HIV-positive pregnant women and women in the waiting period to access treatment early
- Use of jik or hypo to sterilize the environment, especially where labor takes place.

Another issue of concern discussed was discrimination against the HIV-positive mothers by some of the TBA owners. It was re-emphasized to the TBAs that stigmatization is a NO, NO, NO.


Some TBAs indicated interest in escorting and linking positive pregnant women to the health facility by themselves. They also suggested that TBAs should be paid an incentive to encourage them and the efforts they bring to the grant.

Actionable points

No stigmatization for HIV positive mothers or persons.

Person responsible are: TBAs, Community





Akuku Toru

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

DOLF M&E Manager highlighted the importance of maintaining good hygiene. He told them that one of the best practices is to use running water to wash their hands instead of in a bowl. They should always counsel all pregnant women and women in the waiting period about HIV and TB; also, keep records confidential.

There was interaction on the following


- HIV counselling and testing services for pregnant women
- TB screening services
- Promotion of safe delivery practices
- Referral pathways to healthcare facilities.
- TBAs support HIV-positive pregnant women and women in the waiting period to access treatment early
- Use of jik or hypo to sterilize the environment, especially where labor takes place.
- Constant use of hand gloves.

Actionable points

TBAs must strengthen their counselling skills.

Person responsible are: DOLF Staff, CTHWs, TBAs





Andoni

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

Andoni LACA, Manager of the ARFH CV, facilitated the training. The mentor mothers were also in attendance.

There was interaction on the following

- HIV counselling and testing services for pregnant women
- TB screening services
- Promotion of safe delivery practices
- Referral pathways to healthcare facilities.
- TBAs support HIV-positive pregnant women and women in the waiting period to access treatment early
- Use of jik or hypo to sterilize the environment, especially where labor takes place.
- Constant use of hand gloves

Actionable points

Continuous mentorship of TBAs

Person responsible are: SASCP, SACA, Implementing partnership





Asari Toru

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

Intensive interaction on Basic Hygiene Principles, PMTCT, HIV, TB, and HBV by the LACA Manager of Asari-Toru and DOLF M&E Manager.

The TBAs requested that incentives be provided for them to appreciate their efforts on the grant. They were encouraged to ensure TB screening for their clients and even the neighborhood, so they can benefit from the incentive payment from TB active case finding.

ARFH LCs to supportive TBAs with sample shipment.

Actionable points

TBAs to conduct TB Active case finding for clients and within the neighborhood.

TBAs to be supported with sample shipment

Person responsible are: TBAs, ARFH, LCs





Bonny

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

Bonny LGA LACA Manager and DOLF Linkage Coordinator facilitated the training exercise.

The areas of discussion during this exercise were:

- HIV and TB basic facts.
- Personnel hygiene, safety measures, and the role these play in preventing mother-to-child transmission of HIV.
- Increased awareness of PMTCT.


The TBAs requested that more training sessions like the one we held should be conducted in the future. Participants expressed their gratitude to the organization for its continuous support and efforts in addressing these critical health issues.

Actionable points

Routine capacity building for TBAs

Person responsible are: SASCP, SACA, Implementing partners





Degema

Local Government
Area, Rivers State
Nigeria

Discussions, Deliberations, and Decisions

Areas of discussion were:

- Basic facts on TB, HIV, and PMTCT. And the need for early identification of HIV positive women and TB screening for pregnant women and women in the waiting period.
- Health promotion services at the TBA homes.
- Safety and hygienic measures. Use of PPEs and proper waste disposal was emphasized.
- Strengthening and servicing referral channels

Actionable points

Safety to precede all practices.

Person responsible are: TBAs





Eleme

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

Andoni LACA, Manager of the ARFH CV, facilitated the training. The mentor mothers were also in attendance.

There was interaction on the following


- HIV counselling and testing services for pregnant women
- TB screening services
- Promotion of safe delivery practices
- Referral pathways to healthcare facilities.
- TBAs support HIV-positive pregnant women and women in the waiting period to access treatment early
- Use of jik or hypo to sterilize the environment, especially where labor takes place.
- Constant use of hand gloves

Actionable points

Routine capacity building for TBAs

Person responsible are: SASCP, SACA, Implementing partners.





Emohua

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

LACA Manager, Rumuji DOT officer, and DOLF Cluster Coordinator facilitated the training.

There was a role-play on handwashing, the use of gloves, and the use of sanitizers. The TBAs were encouraged to ensure they clean their hands properly before and after checking any women. There was emphasis on HIV counseling and testing services and TB screening. TBAs were taught how to conduct TB screening and also sample collection by the DOT officer of Rumuji.

“Safety first, safety always” became a slogan for the TBAs. Proper disposal was also illustrated.


There were also discussions on the use of PMTCT Spoke Registers.

Actionable points

“Safety first, safety always” became a slogan for the TBAs

Person responsible are: TBAs





Etche

Local Government
Area, Rivers State
Nigeria

Discussions, Deliberations, and Decisions

The importance of Prevention of Mother-to-Child Transmission (PMTCT) was discussed. The facilitators emphasized the need for TBAs to encourage all pregnant women to know their HIV status early in pregnancy to protect both the mother and the baby.

TBAs were taught how to counsel and test HIV, and the need to ensure proper procedures are followed. They were also informed about the importance of confidentiality and counseling when testing pregnant women.

TBAs were guided on when to refer clients to health facilities, especially in cases they cannot manage, such as complications during pregnancy, labor, or when a pregnant woman tests positive and needs further medical care.

Other interactions centered on TB, Syphilis, hepatitis, safety measures, record keeping, and hygiene.

Actionable points

TBAs to refer cases beyond their capacity to manage to health facilities.

Person responsible are: TBAs





Gokana

Local Government
Area, Rivers State
Nigeria

Discussions, Deliberations, and Decisions


The importance of the Prevention of Mother-to-Child Transmission (PMTCT) program to women of reproductive age was emphasized. Transmission points for a mother living with HIV to her child during pregnancy, labor, delivery, or breastfeeding were explained to the TBAs. Early initiation to lifelong treatment and care, including support to remain in care and virally suppressed, was also explained. The TBAs learnt that HIV is not a death sentence, and the chain of transmission can be cut if the above can be achieved.

Discussions continued on Basic Hygiene Principles, TB, Syphilis, and HBV.

Actionable points

Routine capacity building for TBAs

Person responsible are: TBAs, CTHWs, Mentor mothers



Ikwere

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

DOLF Cluster Coordinator facilitated the meeting.

DOLF, through this exercise in Ikwere LGA, discovered the Association of TBA owners, known as MBAN (Maternity Birth Association). This was a wonderful discovery for us. The chairperson requested that the Association, as well as owners of TBAs, should be carried along in such project implementation.


The TBAs were taught basic facts of TB, HIV/ Syphilis, and HBV, and why it is important to screen for TB and test for HIV/Syphilis and HBV. Also, basic hygienic measures – the need to use hypo or jik to clean surfaces after delivery; personal hygiene; strengthening of referral channels; and improving skills.

Actionable points

DOLF to collaborate with MBAN.

Person responsible are: DOLF





Khana

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

DOLF Cluster Coordinator facilitated the training with emphasis on Prevention of Mother to Child Transmission of HIV services, TB screening, and basic hygiene practices.

There was interaction on the following

- HIV counselling and testing services for pregnant women
- TB screening services
- Promotion of safe delivery practices
- Referral pathways to healthcare facilities.
- TBAs support HIV-positive pregnant women and women in the waiting period to access treatment early
- Use of jik or hypo to sterilize the environment, especially where labor takes place.
- Constant use of hand gloves.

A major concern for the TBAs was the length of time to soak equipment in jik or hypo to avoid germs.

Answer: 10 to 15minutes and ensure it is dry, and keep in a dry and safe place.

One of the critical issues raised during the meeting is the non-payment of incentives to TBAs and FBOs. The TBAs were encouraged to screen for TB and get paid an incentive.

The TBAs also requested routine training to build their capacity. Also, there should be regular meetings with TBAs for progress review and support.

Actionable points

Routine training for TBAs

Regular review meetings with TBA

Person responsible are: SASCP, SACA, Implementing partners





Obio/Akpor Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

Obio Akpor TBA mobilization held in two clusters. The first at MPHC Rumuolumeni and the second at MPHC Eneka.

The LACA Manager and DOLF Technical Specialist facilitated the training.

The TBAs were taught basic facts of TB, HIV/ Syphilis, and HBV, and why it is important to screen for TB and test for HIV/Syphilis and HBV. Also, basic hygienic measures were emphasized – the need to use hypo or jik to clean surfaces after delivery. Personal hygiene was also encouraged. TBAs are to counsel every pregnant woman under their care and swiftly refer cases they cannot handle.

Actionable points

- All pregnant women at the TBA homes must be tested.
- TBAs must use elbow gloves for all unbooked deliveries.
- Importance of confidentiality and proper counseling and referral

Person responsible are: TBA/CTHWs/ Mentor mothers.





Ogba/Egbema Ndoni

Local Government
Area, Rivers State
Nigeria

Discussions, Deliberations, and Decisions

The area of discussion during the meeting was:

- Basic facts of TB, HIV, Syphilis, and Hepatitis.
- Hygiene measures (Washing hands with soap and running water, regular use of sanitizers, coughing/sneezing into your sleeves, and personal hygiene).

The TBAs were pleased with the initiative of training them and reiterating basic facts of TB and HIV, and the need to pay attention to infection prevention and control measures.

Actionable points

Routine re-training of TBAs.

Person responsible are: SASCP, SACA, Implementing partners.





Ogu/ Bolo

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

LACA Manager and DOLF DRTB focal person facilitated the meeting.

The TBAs' orientation focused on TB, HIV/ Syphilis, and HBV, and why it is important to screen for TB and test for HIV/Syphilis and HBV. DOLF DRTB Focal Person also highlighted the importance of maintaining good hygiene practices and ensured that TBAs counsel every pregnant woman under their care and keep their results confidential.

She also informed TBAs of the dangers of disclosing information about pregnant women under their care to people who are not qualified to know. TBAs must discourage all forms of stigmatization.

Actionable points

In health interventions, especially HIV/AIDS, confidentiality is an oath and must be honored.

Person responsible are: TBAs, CTHWs, Mentor mothers, Health workers



Okrika

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

The importance of the Prevention of Mother-to-Child Transmission (PMTCT) program to women of reproductive age was emphasized. Transmission points for a mother living with HIV to her child during pregnancy, labor, delivery, or breastfeeding were explained to the TBAs. Early initiation to lifelong treatment and care, including support to remain in care and virally suppressed, was also explained. The TBAs learnt that HIV is not a death sentence, and the chain of transmission can be cut if the above can be achieved.

Discussions continued on Basic Hygiene Principles, TB, Syphilis, and HBV.

Actionable points

TBAs to ensure zero HIV transmission at their homes

Person responsible are: TBAs, CTHWs, Mentor mothers





Omuma

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

The importance of Prevention of Mother-to-Child Transmission (PMTCT) was discussed. The facilitators emphasized the need for TBAs to encourage all pregnant women to know their HIV status early in pregnancy to protect both the mother and the baby. TBAs were taught how to counsel and test HIV, and the need to ensure proper procedures are followed. They were also informed about the importance of confidentiality and counseling when testing pregnant women.

TBAs were guided on when to refer clients to health facilities, especially in cases they cannot manage, such as complications during pregnancy, labor, or when a pregnant woman tests positive and needs further medical care.

Other interactions centered on TB, Syphilis, hepatitis, safety measures, record keeping, and hygiene.

Actionable points

TBAs to refer cases beyond their capacity to manage to health facilities.

Person responsible are: TBAs





Opobo/Nkoro Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

The training was facilitated by a DOLF Cluster Coordinator, LACA manager, and the HIV Desk Officer of the LGA. Areas of discussion were:

- Importance of HIV and TB testing for pregnant women
- Role of TBAs in promoting PMTCT
- Referral pathways to healthcare facilities.
- Challenges and opportunities for Collaboration
- Basic hygiene principles WASH

There were questions on:

- How can HIV be transmitted from the mother to the child?
- Is it proper to use our mouth to extract Mucor from a newborn baby?

The facilitators responded by saying that a positive mother can transfer HIV to the baby during pregnancy if not on PMTCT care; during childbirth if not well handled by skilled health workers, and also through breastfeeding.

Is a capital NO to use the mouth to extract. The HIV DESK OFFICER did a practical demonstration using a Mucor extractor from the facilities. This session was very interactive as experience was being shared.

TBAs proposed that, if possible, they be trained by healthcare providers routinely.

Actionable points

Routine training of TBs by healthcare providers

Person responsible are: Ministry of Health





Oyigbo Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

DOLF Technical Specialist facilitated the Oyigbo training. There were interactive sections on the following:

- Basic facts on TB, HIV, and PMTCT. And the need for early identification of HIV positive women and TB screening for pregnant women and women in the waiting period.
- Health promotion services at the TBA homes.
 - Safety and hygienic measures. Use of PPEs and proper waste disposal was emphasized.
- Nutrition for life support, growth, and bodily function with emphasis on children.

The TBA owners raised a concern about a group of people claiming that they are from the Ministry of Health, coming to extort money from them. The facilitator promised to verify this but assured the TBAs that the Rivers State Ministry of Health cannot take such an action.

The younger representatives of TBAs were encouraged to further their education and be well-equipped.


One TBA who had escorted a reactive pregnant woman to CHC, who also had needle prick, was given post-exposure prophylaxis.

Actionable points

The Rivers State Ministry of Health plans to formalize an association for the TBAs to avoid such harassment.

Person responsible are: TBAs, Ministry of Health, Implementing partners.





Port Harcourt

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

There is an interactive section centered on the following:

- Basic facts on TB, HIV, and PMTCT. And the need for early identification of HIV positive women and TB screening for pregnant women and women in the waiting period.
- Health promotion services at the TBA homes.
- Safety and hygienic measures. Use of PPEs and proper waste disposal was emphasized.
- Nutrition for life support, growth, and bodily function with emphasis on children.

The TBAs appreciated the training and requested that it be done routinely.

Actionable points

Routine capacity building for TBAs

Person responsible are: TBAs, Ministry of Health, Implementing partners.





Tai

Local Government Area, Rivers State Nigeria

Discussions, Deliberations, and Decisions

DOLF Linkage Coordinator and the Mentor mothers facilitated this exercise.

Areas of discussion were:

- Basic facts on TB, HIV, and PMTCT. And the need for early identification of HIV positive women and TB screening for pregnant women and women in the waiting period.
- Health promotion services at the TBA homes.
- Safety and hygienic measures. Use of PPEs and proper waste disposal was emphasized.

The TBA requested that they get a cooperative association as a body. They also appreciated this capacity-building exercise.

Actionable points

Formal association for TBAs.

Routine capacity building for TBAs

Person responsible are: TBAs, Ministry of Health, Implementing partners.





Khana LGA



Oyigbo LGA



Ogu-Bolo LGA



Omuma LGA





Obio Akpor LGA



Obio Akpor LGA





Emuohua LGA





Opobo Nkro LGA





Onelga LGA





Etche LGA



Bonny LGA





**A POST-EVENT REPORT
PRESENTED BY
DAWN OF LIFE FOUNDATION**

Website:
www.dolfnet.org

Email:
dolfnet@gmail.com

Dawn of foundation .
No 51 PAMO university Road,
behind PAMO university of medical science,
Elelenwo New Layout, Port Harcourt, Nigeria.

